



PALLSTÄLL PALLET RACK




WELAND

VERKTYG SOM BEHÖVS • TOOLS REQUIRED



DETALJSPECIFIKATION • SPECIFICATION OF COMPONENTS



Kontrollera levererans!
Check delivery!

WELAND

7

9









4

10









15














14



≥ 150 mm



Version:







WELAND Belastningsdata Weland pallställ
Stolpe = FM

Sektionsbelastning (kg)

Bärplanavstånd	Bärlängd	H80	H100	H120	H140	H160
750	9000	8400	11300	11300	11300	11300
1000	8700	8700	10800	10800	11000	11000
1250	7400	7400	10000	10000	10000	10000
1500	6200	6200	9000	9000	9000	9000
1750	5000	5000	8300	8300	8300	8300
2000	4800	4800	7700	7700	7800	7800
2250	4500	4500	6500	6500	7000	7000
2500	4300	4300	5600	5600	6400	6400


ÖBS! Det gäller minst 2 stödpunkter.

Bärbalkbelastning (kg)

Bärbalkavstånd	Bärlängd	H80	H100	H120	H140	H160
900	4700	6900	7000	6300	6300	6300
1200	3200	4900	5200	5000	5000	5000
1500	2400	3600	3900	4300	4300	4300
2200	1700	2900	3200	3600	3600	3600
2600	1300	2100	2300	3100	3400	3400
2700	1200	2000	2000	3000	3300	3300
3100	900	1500	2000	2600	2900	2900
3600	700	1200	1500	2100	2400	2400

Det tillåts inte att lagra högre än ett lager. Det tillåts vidstaket en 100 kg tyngd av färdigvikt av det dimensionerande lastplanområdet. Det tillåts en vidstaket av sektionens belastning eller lastbärningskraften tillåter endast högre än ett dimensionerande. Vid andra frågor än de beskrivna, kontakta Weland AB.

www.weland.se

















Information!



www.weland.se





Weland AB
Malmgatan 34
333 30 Smålandsstenar
Sverige

Tel. +46(0)371-344 00
E-post: info@weland.se
weland.se

Weland AS
Svennerudveien 34
2016 Frogner
Norge

Tel. 46 93 91 00
E-mail: weland@weland.no
weland.no

Weland & Sønner A/S
Rugvænget 32
2630 Taastrup
Danmark

Tel. 43 99 75 55
E-mail: weland@weland.dk
weland.dk

Weland GmbH
Spenglerstr. 89-91
23556 Lübeck
Deutschland

Tel. 0451-899 41-0
Fax. 0451-899 41-50
E-mail: info@weland.de
weland.de

Weland Oy
Peltotie 31
28400 Ulvila
Suomi

Puh. 02-6343 900
S-posti: info@weland.fi
weland.fi

WELAND